

FIG.1





FIG.2



3/10

FIG.3

NUMBER	DETECTION ATTRIBUTE (SUSPICIOUS SIGNATURE)
1	{ Dst=192.168.1.1/32,Protocol=TCP,Port=80 }
2	{ Dst=192.168.1.2/32,Protocol=UDP }
3	{ Dst=192.168.1.1/24 }

FIG.4

NUMBER	DETECTION ATTRIBUTE (NORMAL CONDITION)
1	{ Src=172.16.10.0/24 }
2	{ TOS=0x01 }

FIG.5

NUM- BER	ILLEGAL TRAFFIC CONDITION
1	PACKETS HAVING TRANSMISSION BAND OF T1 Kbps OR MORE ARE CONTINUOUSLY TRANSMITTED FOR S1 SECOND OR MORE
2	ICMP/ECHO REPLY PACKETS HAVING TRANSMISSION BAND OF T2 Kbps OR MORE ARE CONTINUOUSLY TRANSMITTED FOR S2 SECONDS OR MORE
1	FRAGMENT PACKETS HAVING TRANSMISSION BAND OF T3 Kbps OR MORE ARE CONTINUOUSLY TRANSMITTED FOR S3 SECONDS OR MORE

FIG.6




FIG.7





FIG.8



6/10

FIG. 9




FIG.10




FIG.11






FIG.12




FIG.13

